



STREET
FURNITURE

FIX is about the feeling of space.

Creating spaces where everyone can find comfort for relaxation, inspiration for growth, a place for communication, and leisure.

This is about us. This is for you.



Benches / Chairs	<u>2</u>
Litter bins / Ashtrays	<u>27</u>
Planters	<u>35</u>
Bicycle racks	<u>41</u>
Barrier columns	<u>46</u>
Fences / Railings	<u>50</u>
Tree grates	<u>56</u>
Gazebos	<u>63</u>
Sets	<u>65</u>
Sports elements	<u>72</u>
Pet supplies	<u>75</u>
Lighting	<u>80</u>

Benches / Chairs

Brenna



Brenna BN-01 • length - 2000 mm
• width - 690 mm
• height - 790 mm



Brenna BN-02 • length - 780 mm
• width - 690 mm
• height - 790 mm



Brenna BN-03 • length - 2000 mm
• width - 690 mm
• height - 790 mm



Brenna BN-04 • length - 780 (520) mm
• width - 690 mm
• height - 790 mm



Brenna BN-06 • length - 2000 mm
• width - 890 mm
• height - 790 mm



Brenna BN-08 • length - 2000 mm
• width - 490 mm
• height - 420 mm



Brenna BN-10 • length - 1620 mm
• width - 880 mm
• height - 740 mm



Brenna BN-05 • length - 2000 mm
• width - 865 mm
• height - 1060 mm



Brenna BN-07 • length - 2000 mm
• width - 890 mm
• height - 790 mm




Brenna BN-09 • length - 780 mm
• width - 490 mm
• height - 420 mm



Brenna BN-10 plus • length - 880 mm
• width - 590 mm
• height - 360 mm



Brenna BN-11 • length - 1620 mm
• width - 1500 mm
• height - 740 mm



Brenna BN-11 double plus • length - 1500 mm
• width - 1390 mm
• height - 360 mm



Brenna BN-11 plus • length - 1500 mm
• width - 590 mm
• height - 360 mm




Colt



Colt BN-01 • length - 2500 mm
• width - 560 mm
• height - 790 mm



Colt BN-02 • length - 2500 mm
• width - 560 mm
• height - 790 mm



Colt BN-03 • length - 2500 mm
• width - 520 mm
• height - 440 mm



Colt BN-04 • length - 1000 mm
• width - 520 mm
• height - 440 mm



Colt BN-05 • length - 3740 mm
• width - 560 mm
• height - 790 mm



Colt BN-06 • length - 2000 mm
• width - 670 mm
• height - 775 mm

Delia



Delia BN-01 • length - 1200 mm
• width - 940 mm
• height - 1190 mm



Delia BN-02 • length - 1200 mm
• width - 1370 mm
• height - 1190 mm



Delia BN-03 • length - 1200 mm
• width - 1370 mm
• height - 1190 mm»



Delia BN-04 • length - 1200 mm
• width - 940 mm
• height - 1190 mm




Delia BN-06 • length - 800 mm
• width - 1370 mm
• height - 1190 mm



Delia BN-08 • length - 750 mm
• width - 590 mm
• height - 850 mm

Helen



Helen BN-01 • length - 780 mm
• width - 790 mm
• height - 440 mm




Delia BN-05 • length - 800 mm
• width - 940 mm
• height - 1190 mm



Delia BN-07 • length - 2000 mm
• width - 580 mm
• height - 850 mm





Helen BN-02 • length - 700 mm
• width - 610 mm
• height - 430 mm



Helen BN-04 • length - 780 mm
• width - 790 mm
• height - 700 mm



Helen BN-03 • length - 610 mm
• width - 530 mm
• height - 430 mm



Helen BN-05 • length - 700 mm
• width - 610 mm
• height - 670 mm

Line



Line BN-01 • length - 1960 mm
• width - 480 mm
• height - 430 mm



Line BN-02 • length - 2120 mm
• width - 554 mm
• height - 740 mm



Line BN-03 • length - 1880 mm
• width - 604 mm
• height - 860 mm



Line BN-04 • length - 1820 mm
• width - 520 mm
• height - 430 mm



Line BN-05 • length - 1760 mm
• width - 520 mm
• height - 740 mm



Line BN-06 • length - 1720 mm
• width - 610 mm
• height - 600 mm



Line BN-07 • length - 1700 mm
• width - 800 mm
• height - 700 mm



Line BN-07 double • length - 1700 mm
• width - 1600 mm
• height - 700 mm



Line BN-08 • length - 2000 mm
• width - 1216 mm
• height - 550 mm



Line BN-09 • length - 2000 mm
• width - 1250 mm
• height - 800 mm



Line BN-09A • length - 2000 (1500) mm
• width - 1250 mm
• height - 800 mm

Nuala



Nuala BN-01 • length - 1820 mm
• width - 780 mm
• height - 810 mm



Nuala BN-02 • length - 680 mm
• width - 780 mm
• height - 810 mm



Nuala BN-03 • length - 660 mm
• width - 570 mm
• height - 540 mm



Nuala BN-04 • length - 1800 mm
• width - 570 mm
• height - 540 mm



Nuala BN-05 • length - 1800 mm
• width - 620 mm
• height - 1000 mm



Nuala BN-06 • length - 700 mm
• width - 620 mm
• height - 1000 mm

Pangaia



Pangaia BN-02 • length - 1630 mm
• width - 510 mm
• height - 420 mm



Pangaia BN-01 • length - 1630 mm
• width - 625 mm
• height - 820 mm



Pangaia BN-03 • length - 700 mm
• width - 510 mm
• height - 420 mm





Pangaia BN-04

- length - 3045 mm
- width - 625 mm
- height - 820 mm



Pangaia BN-05

- length - 4420 mm
- width - 1260 mm
- height - 820 mm



Pangaia BN-06

- length - 3000 mm
- width - 570 mm
- height - 810 mm



Pangaia BN-07

- length - 3000 mm
- width - 570 mm
- height - 810 mm



Pangaia BN-08 • length - 3000 mm
• width - 570 mm
• height - 810 mm



Pangaia BN-09 • length - 3000 mm
• width - 515 mm
• height - 420 mm




Pangaia BN-10A • length - 3000 mm
• width - 570 mm
• height - 810 mm



Pangaia BN-08A • length - 3000 mm
• width - 625 mm
• height - 810 mm



Pangaia BN-10 • length - 3000 mm
• width - 570 mm
• height - 810 mm



Uno



Uno BN-01 • length - 1700 mm
• width - 600 mm
• height - 800 mm



Uno BN-02 • length - 800 mm
• width - 600 mm
• height - 800 mm



Uno BN-03 • length - 1760 mm
• width - 620 mm
• height - 900 mm



Uno BN-04 • length - 1800 mm
• width - 480 mm
• height - 450 mm



Uno BN-05 • length - 1800 mm
• width - 530 mm
• height - 810 mm



Uno BN-06 • length - 2800 mm
• width - 610 mm
• height - 790 mm



Uno BN-06A • length - 2800 mm
• width - 610 mm
• height - 790 mm



Uno BN-07 • length - 2800 mm
• width - 610 mm
• height - 790 mm



Uno BN-09 • length - 600 mm
• width - 560 mm
• height - 440 mm



Uno BN-08 • length - 2800 mm
• width - 560 mm
• height - 440 mm



Uno BN-10 • length - 600 mm
• width - 560 mm
• height - 440 mm

Litter bins / Ashtrays 27

Brenna



Brenna TB-01
sdsds

- diameter - 460 mm
- height - 860 mm



Brenna TB-02

- diameter - 460 mm
- height - 995 mm



Brenna TB-03

- diameter - 440 mm
- height - 920 mm



Brenna TB-04


- diameter - 320 mm
- height - 820 mm



Brenna TB-05

- diameter - 320 mm
- height - 980 mm
- width - 720 mm

Colt



Colt TB-01

- length - 380 mm
- width - 380 mm
- height - 500 mm»



Colt TB-03

- length - 450 mm
- width - 400 mm
- height - 1030 mm



Colt TB-02

- length - 450 mm
- width - 400 mm
- height - 1030 mm



Nuala



Nuala TB-01

- length - 400 mm
- width - 300 mm
- height - 900 mm



Nuala TB-02

- length - 500 mm
- width - 300 mm
- height - 1020 mm



Nuala TB-03

- length - 1150 mm
- width - 300 mm
- height - 900 mm



Nuala TB-04
• length - 1150 mm
• width - 300 mm
• height - 900 mm



Nuala TB-05
• length - 315 mm
• width - 315 mm
• height - 955 mm



Nuala TB-06
• length - 400 mm
• width - 400 mm
• height - 1000 mm



Nuala TB-07
• length - 490 mm
• width - 360 mm
• height - 1000 mm

Pangaia



Pangaia TB-01
• length - 120 mm
• width - 120 mm
• height - 1130 mm



Pangaia TB-02

- length - 120 mm
- width - 120 mm
- height - 1130 mm



Pangaia TB-03


- diameter - 130 mm
- height - 1130 mm




Pangaia TB-04

- length - 100 mm
- width - 100 mm
- height - 1000 mm


Brenna



Brenna FB-02 • length - 1650 mm
• width - 1000 mm
• height - 890 mm




Brenna FB-01 • length - 1630 mm
• width - 1000 mm
• height - 890 mm



Brenna FB-03 • length - 1500 mm
• width - 1000 mm
• height - 890 mm



Brenna FB-04 • length - 2100 mm
• width - 1000 mm
• height - 890



Brenna FB-05 • length - 1000 mm
• width - 1000 mm
• height - 890 mm

Line



Line FB-01 • length - 1000 mm
• width - 1000 mm
• height - 880 mm



Line FB-02 • length - 1000 mm
• width - 1000 mm
• height - 880 mm



Line FB-03 • length - 1000 mm
• width - 1000 mm
• height - 880 mm




Line FB-05 • length - 1500 mm
• width - 760 mm
• height - 600 mm



Line FB-04 • length - 1000 mm
• width - 1000 mm
• height - 880 mm



Line FB-06 • length - 1500 mm
• width - 760 mm
• height - 600 mm



Uno



Uno FB-01 • diameter - 900 mm
• height - 880 mm



Uno FB-02 • diameter - 900 mm
• height - 880 mm



Uno FB-03 • diameter - 900 mm
• height - 880 mm



Bicycle racks 41



Pangaia



Pangaia BK-01

- length - 970 mm
- height - 890 mm




Pangaia BK-02

- length - 1005 mm
- height - 700 mm



Pangaia BK-03

- diameter - 160 mm
- height - 1000 mm



Pangaia BK-04

- length - 380 mm
- height - 1300 mm

Uno



Uno BK-01

- length - 1200 mm
- height - 890 mm



Uno BK-02

- length - 1180 mm
- height - 890 mm



Uno BK-03

- length - 1000 mm
- height - 700 mm



Uno BK-04

- length - 760 mm
- height - 880 mm



Uno BK-05

- length - 2200 mm
- width - 300 mm
- height - 1220 mm



Barrier columns

Brenna



Brenna CL-01

- height - 900 mm
- length - 120 mm
- width - 80 mm



Brenna CL-02

- height - 750 mm
- length - 100 mm
- width - 100 mm

Line



Line CL-01

- height - 800 mm
- diameter - 100 mm



Line CL-02

- height - 800 mm
- length - 80 mm
- width - 80 mm



Line CL-03

- height - 800 mm
- length - 100 mm
- width - 170 mm

Uno



Uno CL-01

- height - 900 mm
- length - 100 mm
- width - 60 mm



Uno CL-02

- height - 900 mm
- length - 80 mm
- width - 80 mm



Uno CL-03

- height - 900 mm
- length - 100 mm
- width - 60 mm

Fences / Railings


Line



Line FN-01 • length - 1880 mm
• height - 1570 mm




Line FN-02 • length - 1880 mm
• height - 1570 mm



Line FN-03 • length - 1880 mm
• height - 1570 mm

Nuala



Nuala FN-01 • length - 1760 mm
• height - 950 mm



Nuala FN-02 • length - 1850 mm
• height - 950 mm



Nuala FN-02A • length - 1890 mm
• height - 950 mm



Nuala FN-03 • length - 2160 mm
• height - 1000 mm



Nuala FN-04 • length - 2160 mm
• height - 1000 mm


Pangaia



Pangaia FN-01 • length - 1320 mm
• height - 1000 mm



Pangaia FN-02 • length - 2490 mm
• height - 1000 mm




Pangaia FN-04 • length - 2060 mm
• height - 950 mm




Pangaia FN-06 • length - 1510 mm
• height - 1000 mm




Pangaia FN-03 • length - 1680 mm
• height - 1010 mm



Pangaia FN-05 • length - 1000 mm
• height - 1000 mm




Pangaia FN-07 • length - 1265 mm
• height - 950 mm



Tree grates

Pangaia




Pangaia TS-01 • diameter - 1700 mm
• inner diameter - 600 mm
• height - 50 mm




Pangaia TS-02 • diameter - 1800 mm
• inner diameter - 600 mm
• height - 50 mm
• diameter for trunk - 700 mm
• height for trunk - 490 mm






Pangaia TS-03

- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm




Pangaia TS-04

- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm




Pangaia TS-05

- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm




Pangaia TS-06

- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm



Pangaia TS-07


- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm



Pangaia TS-08


- diameter - 1800 mm
- inner diameter - 600 mm
- height - 50 mm

Uno



Uno TS-01

- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- hole - 700×700 mm




Uno TS-02

- length - 1500 mm
- width - 1500 mm
- height - 50 mm
- inner diameter - 500 mm




Uno TS-03

- length - 1700 mm
- width - 1700 mm
- height - 50 mm
- inner diameter - 500 mm




Uno TS-04

- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- inner diameter - 600 mm



Uno TS-05


- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- inner diameter - 600 mm



Uno TS-06


- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- hole for trunk - 600×600 mm
- height for trunk - 490 mm






Uno TS-07

- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- inner diameter - 600 mm




Uno TS-09

- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- inner diameter - 600 mm



Uno TS-08

- length - 1800 mm
- width - 1800 mm
- height - 50 mm
- inner diameter - 600 mm




Uno TS-10

- length - 2000 mm
- width - 2000 mm
- height - 50 mm
- inner diameter - 700 mm



Fresh GB-01 • length - 2600 mm
• width - 2000 mm
• height - 2080 mm



Fresh GB-03 • length - 2260 mm
• width - 2000 mm
• height - 2080 mm



Fresh GB-02 • length - 2800 mm
• width - 2000 mm
• height - 2080 mm



Fresh GB-04 • length - 2260 mm
• width - 2000 mm
• height - 2080 mm



Brenna



Brenna C-01 • length - 1895 mm
• width - 1895 mm
• height - 1140 mm



Brenna C-02 • length - 1880 mm
• width - 1790 mm
• height - 1140 mm

Delia



Delia C-12 • length - 2270 mm
• width - 2270 mm
• height - 740 mm

Garden



Garden C-09A • length - 1860 mm
• width - 1860 mm
• height - 750 mm



Garden C-09B • length - 1860 mm
• width - 1860 mm
• height - 750 mm



Garden C-10A
• length - 2660 mm
• width - 1860 mm
• height - 750 mm



Garden C-10B
• length - 2660 mm
• width - 1860 mm
• height - 750 mm

Line



Line C-03
• length - 800 mm
• width - 500 mm
• height - 1250 mm



Line C-04
• length - 1100 mm
• width - 500 mm
• height - 1250 mm



Line C-05
• length - 1100 mm
• width - 500 mm
• height - 1050 mm



Line C-06
• length - 990 mm
• width - 990 mm
• height - 1050 mm



Line C-07
• length - 870 mm
• width - 440 mm
• height - 1050 mm

Nuala



Nuala C-08A • length - 1600 mm
• width - 1600 mm
• height - 720 mm



Nuala C-08B • length - 1520 mm
• width - 1480 mm
• height - 720 mm



Nuala C-08C • length - 1520 mm
• width - 1480 mm
• height - 740 mm

Uno



Uno C-13 • length - 3500 mm
• width - 2000 mm
• height - 750 mm



Uno C-14 • length - 4100 mm
• width - 2960 mm
• height - 750 mm



Chess C-11 • length - 2600 mm
• width - 660 mm
• height - 820 mm



Health SP-01

- length - 3150 mm
- width - 1200 mm
- height - 2500 mm



Health SP-02

- length - 2100 mm
- width - 1820 mm
- height - 450 (650) mm



Health SP-03

- length - 2100 mm
- width - 1840 mm
- height - 1000 mm



Health SP-04

- length - 2640 mm
- width - 1440 mm
- height - 1480 mm




Health SP-05 • length - 1450 mm
• width - 1550 mm
• height - 2100 mm



Health SP-06 • length - 1450 mm
• width - 1750 mm
• height - 2520 mm



Health SP-07 • length - 1890 mm
• width - 640 mm
• height - 1000 mm



Ping SP-08 • length - 2740 mm
• width - 1520 mm
• height - 760 mm




Animal DP-01

- length - 6000 mm
- width - 650 mm
- height - 916 mm




Animal DP-03

- length - 2465 mm
- width - 700 mm
- height - 760 mm



Animal DP-05

- length - 1800 mm
- width - 720 mm
- height - 810 mm



Animal DP-07

- length - 3600 mm
- width - 40 mm
- height - 950 mm




Animal DP-02

- length - 3900 mm
- width - 1100 mm
- height - 1700 mm



Animal DP-04

- length - 1160 mm
- height A - 800 mm
- height B - 500 mm
- height C - 300 mm



Animal DP-06

- length - 1500 mm
- width - 610 mm
- height - 710 mm



Animal DP-08 A

- length - 3300 mm
- width - 300 mm
- height - 550 mm



Animal DP-08 B • length - 2640 mm
• width - 240 mm
• height - 440 mm




Animal DP-09 • length - 3620 mm
• width - 340 mm
• height - 350 mm



Animal DP-10 A • length - 640 mm
• height - 720 mm



Animal DP-10 B • length - 1380 mm
• height - 1020 mm



Animal DP-10 C • length - 1365 mm
• height - 720 mm



Animal DP-11
• length - 320 mm
• width - 3200 mm
• height - 1500 mm



Animal DP-12 • length - 1000 mm
• width - 1000 mm
• height - 400 mm



Brenna



Brenna SL-01

- height - 4000 mm
- diameter - 360 mm
- luminaire model - LUG AVENIDA
- power (wattage) - 40 W
- colour temperature 3000-4000 K



Brenna SL-02

- height - 4000 mm
- diameter - 705 mm
- power (wattage) - 40-120 W
- colour temperature 3000-4000 K



Brenna SL-03

- height - 3000 mm
- diameter - 100 mm
- power (wattage) - 10-40 W
- colour temperature 2700-4000 K



Brenna SL-04

- height - 3000 mm
- diameter - 100 mm
- power (wattage) - 20-40 W
- colour temperature 2700-4000 K



Brenna SL-05

- height - 4000 mm
- diameter - 2500 mm
- power (wattage) - 250 W
- colour temperature 3000-4000 K



Brenna SL-06

- height - 1000-6000 mm
- diameter - 250 mm
- power (wattage) - 20-60 W
- colour temperature 3000-4000 K



Colt

**Colt SL-01**

- height - 5000 mm
- length - 1000 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K

**Colt SL-02**

- height - 6000 mm
- length - 1820 mm
- power (wattage) - 60-100 W
- colour temperature 3000-4000 K

**Colt SL-03**

- height - 5000 mm
- length - 1300 mm
- power (wattage) - 40-80 W
- colour temperature 3000-4000 K

Delia

**Delia SL-01**

- height - 720 mm
- length - 150 mm
- power (wattage) - 10 W
- colour temperature - 4100 K

**Delia SL-02**

- height - 1000 mm
- length - 300 mm
- power (wattage) - 10 W
- colour temperature - 4100 K





Delia SL-03

- height - 750 mm
- length - 245 mm
- power (wattage) - 10 W
- colour temperature - 4100 K



Delia SL-05

- height - 800 mm
- length - 170 mm
- power (wattage) - 5 W
- colour temperature - 4100 K



Delia SL-07

- height - 800, 1000 mm
- length - 120 mm
- power (wattage) - 10 W
- colour temperature - 4100 K

Line



Delia SL-04

- height - 800 mm
- length - 170 mm
- power (wattage) - 10 W
- colour temperature - 4100 K



Delia SL-06

- height - 750 mm
- length - 360 mm
- power (wattage) - 10 W
- colour temperature - 4100 K



Delia SL-08

- height - 600 mm
- length - 200 mm
- power (wattage) - 5 W
- colour temperature - 4100 K



Line SL-01

- height - 2000-6000 mm
- length - 700 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Line SL-02

- height - 3000-6000 mm
- length - 1280 mm
- power (wattage) - 40-100 W
- colour temperature 3000-4000 K



Line SL-03

- height - 3000-6000 mm
- length - 1200 mm
- power (wattage) - 40-100 W
- colour temperature 3000-4000 K



Line SL-04

- height - 3000-6000 mm
- length - 660 mm
- світільний модуль на одній або обох гілках
- power (wattage) - 30-100 W
- colour temperature 3000-4000 K



Line SL-05

- height - 4000 mm
- length - 840 mm
- power (wattage) - 30 W
- colour temperature - 3000 K



Line SL-06

- height - 4000 mm
- length - 1520 mm
- power (wattage) - 60-120 W
- colour temperature - 3000 K



Line SL-07

- height - 3500 mm
- length - 1460 mm
- power (wattage) - 60-120 W
- colour temperature - 3000 K



Line SL-08

- height - 3150 mm
- length - 1600 mm
- power (wattage) - 60-120 W
- colour temperature - 3000 K



Line SL-10

- height - 3000-6000 mm
- length - 1000 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Line SL-11

- height - 3000-6000 mm
- length - 1500 mm
- power (wattage) - 60-120 W
- colour temperature 3000-4000 K

Nuala



Line SL-09

- height - 3000-6000 mm
- length - 1000 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Line SL-12

- height - 3000-6000 mm
- length - 1500 mm
- power (wattage) - 80-160 W
- colour temperature 3000-4000 K



Nuala SL-01

- height - 4000 mm
- length - 400 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Nuala SL-02

- height - 5000 mm
- length - 530 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Nuala SL-03

- height - 6000 mm
- length - 530 mm
- power (wattage) - 90-120 W
- colour temperature 3000-4000 K



Nuala SL-04

- height - 6000 mm
- length - 400 mm
- power (wattage) - 120 W
- colour temperature 3000-4000 K



Nuala SL-05

- height - 4300 mm
- length - 610 mm
- power (wattage) - 30-50 W
- colour temperature 3000-4000 K



Nuala SL-06

- height - 6000 mm
- length - 900 mm
- power (wattage) - 90-120 W
- colour temperature 3000-4000 K





Uno



Uno SL-01

- height - 5000 mm
- length - 850 mm
- power (wattage) - 40-60 W
- colour temperature 3000-4000 K



Uno SL-02

- height - 5500 mm
- length - 1530 mm
- power (wattage) - 60-100 W
- colour temperature 3000-4000 K



Uno SL-03

- height - 3000 mm
- length - 700 mm
- power (wattage) - 60-100 W
- colour temperature 3000-4000 K



Uno SL-04

- height - 7000 mm
- length - 1530 mm
- power (wattage) - 240 W
- colour temperature 3000-4000 K

**We use ukrainian materials
for ecological and quality reasons**

WOOD

Dry timber of various wood species
(oak, ash, larch) suits European climate.

METAL PROCESSING AND PAINTING

We recommend corrosion-resistant treatment
of steel by using hot-dip galvanizing or electro-arc
zinc spraying, ensuring the durability of structures
for more than decade.

Our products and production have
undergone Ukrainian state certification:
Certificate of conformity UA.1O210.01133-22.

We implement quality management
and environmental management principles:
ISO 9001, ISO 14001.



**Our products
will last for decades**

Company principles:
sustainability, quality,
ergonomics, durability

FIX

STREET FURNITURE

14 Bichna Franka str.
Zymna Voda, 81110
Lviv region, Ukraine

+380 73 2250353
fixpro.union@gmail.com

fixunion.com.ua

